Wisconsin Healthy People 2010 Local Data Package

Developed by the Bureau of Health Information and Policy in the Division of Public Health

February, 2005 Edition
Wisconsin Department of Health and Family Services


Menomined County

Leading Health Indicators

Binge Drinking

Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days


Northeast Region



Tobacco Use

Adults 18+ who currently smoke cigarettes


Northeast Region



Obesity and Overweight, 2000-2002


Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)

Northeast Region




Regular and Vigorous Physical Activity

Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity, 3 or more times per week




Health Insurance Coverage

Adults 18+ with coverage entire preceding year Northeast Region



Mortality Due to Coronary Heart Disease


Rates per 100,000 population, age-adjusted to year 2000 standard population Northeast Region



Mortality Due to Cerebrovascular Disease


Rates per 100,000 population, age-adjusted to year 2000 standard population

Northeast Region



Mortality Due to Lung Cancer


Rates per 100,000 population, age-adjusted to year 2000 standard population Northeast Region



Mortality Due to Breast Cancer

Rates per 100,000 female population, age-adjusted to year 2000 standard population


Northeast Region



Cerebrovascular Disease Deaths, 1998-2002

number of deaths


Menominee County



Lung Cancer Deaths, 1998-2002

Number of deaths


Menominee County





Breast Cancer Deaths, 1998-2002


Number of deaths

Menominee County










Environmental Factors


Hospitalizations for Asthma

Rates per 10,000 population, age-adjusted to year 2000 standard population Northeast Region



Children in Medicaid/WIC Screened for Lead

Percent of program-eligible children ever tested Menominee County




socioeconomic Indicators

Children In Poverty

Percent of children 0-17 below poverty level, 1999


Menominee County



Poverty: All Ages

Percent of total county population below poverty level, 1999


Menominee County



Median Income

1999 median household income (annual)

Menominee County




Waternal and Child-tealth

Infant Mortality

Deaths before age one per 1,000 live births


Northeast Region



First-Trimester Prenatal Care, 2002


Percent of births to mothers who received early prenatal care

Menominee County



Teen Births, 1998-2002


Number of births to mothers less than 20 years of age Menominee County



Injury and Violence

Motor Vehicle Crashes Related to Alcohol

Percent of crashes where alcohol was a factor Menominee County



Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1997-2001

Menominee County

